



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
Callaway/Tour iz	190.5	208.1	125.2	2735	21.1	1.86
Precept/Distance iQ	187.3	206.6	125.9	2799	21.1	2.23
Nike/One Tour D	187.2	204.3	125.2	2957	21.5	1.25
Callaway/Tour ix	186.6	204.4	125.0	2860	21.2	1.22
Precept/Lady iQ Plus	184.3	204.6	125.0	2843	20.4	2.78
Callaway/Tour is	187.4	203.3	124.7	2964	21.3	1.24
Top Flite/D2 Diva	186.3	203.9	124.8	2989	20.9	3.21
Titleist/NXT Tour 2010	184.5	203.2	124.6	2901	20.8	1.76
Wilson/FG Tour	184.7	203.3	124.9	2860	20.4	2.88
Titleist/NXT 2010	182.9	203.6	124.1	2791	20.7	1.88
Volvik/Crystal	183.7	204.1	125.2	2912	20.6	4.89
Srixon/Z Star X	183.2	202.4	124.7	2885	20.1	1.41
Titleist/Pro V1X 09	184.3	202.1	125.1	2999	20.4	1.16
Maxfli/Tour XD	187.0	202.0	124.4	2963	20.9	1.26
Top Flite/D2 Distance	183.7	203.1	125.2	2867	20.6	4.24
Titleist/NXT Extreme	183.6	204.5	125.0	2970	20.2	2.97
Callaway/BB Diablo	184.8	202.0	125.1	2993	21.0	1.87
TaylorMade/Penta	185.6	200.9	124.6	2983	21.8	1.88
TaylorMade/Burner	184.0	203.1	123.7	2541	21.8	4.17
Nike/ONE Vapor Speed	183.6	200.6	124.7	2988	20.6	1.75



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
TaylorMade/TP Red	180.1	200.1	124.4	2877	20.5	1.84
Top Flite/D2 Feel	185.3	201.3	125.6	2876	21.1	2.14
Callaway/Tour i	185.1	199.5	124.6	3068	21.2	1.17
Srixon/AD-333	182.0	200.2	124.0	2807	21.2	2.76
Bridgestone/B330	184.8	199.8	124.6	3004	20.4	1.45
Volvik/ST 446	177.8	200.6	123.4	3019	20.6	3.64
Callaway/Solaire	184.2	200.0	124.3	3108	20.7	2.74
Top Flite/Gamer V2	184.0	198.5	125.2	3250	20.1	1.71
Wilson/Hope	184.0	201.1	124.9	3045	20.2	5.25
Pinnacle/Platinum Feel	183.2	198.9	124.5	2530	21.8	4.24
Pinnacle/Gold Precision	181.1	200.0	123.7	2765	20.7	1.98
Nike/ONE Tour Vapor	180.6	198.6	124.3	3052	21.1	1.34
Pinnacle/Gold Distance	183.1	200.1	124.3	2612	20.9	2.56
Titleist/DT Solo 2010	179.8	200.1	123.6	2940	20.6	2.96
Titleist/DT Roll	177.2	199.2	122.0	2910	20.3	4.41
Maxfli/Tour LC	182.8	197.7	124.0	3101	20.5	1.37
Srixon/Soft Feel	179.7	198.7	123.7	2808	21.1	4.79
Precept/Laddie Xtreme	184.1	199.1	125.2	2982	20.5	5.23
Nike/One Tour	183.2	196.9	124.7	3278	20.7	1.19
Nike/Karma	180.9	196.9	123.2	2753	21.6	3.17



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
Pinnacle/Dimension	180.8	197.9	124.3	2846	20.8	2.14
Wilson/Ultra	178.7	197.8	123.9	2860	20.6	7.12
Titleist/Tour Prestige	179.2	198.5	124.0	2704	20.4	3.04
Wilson/Fifty	178.9	197.3	123.8	2765	20.8	4.12
TaylorMade/TP Black	179.7	197.0	123.4	3135	20.2	2.63
Srixon/Z Star	179.8	195.4	124.3	3283	20.0	0.62
Srixon/Women's Soft Feel	182.4	198.6	124.4	2975	21.6	4.14
Nike/Karma 09	179.4	195.7	123.2	2753	21.6	3.49
TaylorMade/Burner TP	180.4	196.4	122.4	2426	21.5	3.27
Volvik/Vik 3	179.1	196.7	124.8	2881	20.8	3.27
Titleist/Pro V1 09	182.0	195.7	124.6	3278	19.7	1.65
Slazenger/RD Speed	179.0	196.4	123.5	2897	20.6	1.78
Bridgestone/B330 RX 2010	181.6	196.0	122.9	2927	20.6	1.69
Maxfli/Revolution Ext	181.7	195.7	122.8	2530	22.0	3.66
Wilson/Tx4 Pro	180.9	197.4	125.4	3146	20.2	1.93
Srixon/Trispeed 2010	178.7	194.7	123.0	2846	20.9	1.10
Nike/Power Distance Soft	181.2	195.4	123.8	2860	21.2	3.83
TaylorMade/Noodle+ Lady	178.3	195.7	123.0	2451	21.9	5.76
TaylorMade/Women's Burner	179.3	196.4	124.6	2922	21.3	4.45
Titleist/NXT Tour	180.9	197.5	123.7	2839	21.0	2.02



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
Callaway/HX Hot Plus	178.5	194.8	122.6	2955	21.8	2.34
Bridgestone/B330 RXS 2010	181.7	194.5	122.8	2976	20.7	1.77
Top Flite/Freak	181.0	194.9	124.5	3080	20.0	4.14
Maxfli/HT Distance	181.5	194.9	123.4	3047	20.8	1.87
Srixon/Trispeed Tour	177.3	193.0	123.1	2974	20.7	0.76
Slazenger/RD Speed Tour	178.5	193.6	124.4	2998	20.9	1.23
Bridgestone/B330 RX	180.9	194.2	122.9	2925	20.9	1.38
Top Flite/XL 5000 Straight	177.2	194.9	124.6	3339	20.1	3.19
Volvik/ProsPect	177.9	195.2	123.8	3078	20.4	5.92
Maxfli/HT Tour	180.2	193.6	123.0	3115	20.5	1.44
Slazenger/RD Xtreme	173.4	193.2	120.9	2912	21.2	3.17
Maxfli/Revolution EXT Dist	181.2	194.7	122.9	2972	20.6	2.78
TaylorMade/Noodle+ Long&Soft	177.6	195.2	122.5	2579	21.9	6.18
Titleist/DT Carry	177.5	194.0	123.2	2934	20.9	3.88
Maxfli/Revolution	178.7	193.3	122.9	2516	22.7	4.98
Precept/EC Fuel	179.3	195.4	123.4	3011	20.0	4.78
Top Flite/D2 Straight	177.4	195.7	123.8	3046	20.2	2.75
Nike/Mojo	176.7	193.8	122.5	2847	20.5	2.98
Callaway/HX Hot	175.3	192.5	122.8	3182	20.8	2.17
Wilson/Pro Staff	174.8	195.0	123.5	2892	20.4	4.79



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
Nike/NDX Turbo	177.7	194.4	123.0	3052	20.9	4.42
Nike/Power Distance Long	176.8	193.1	123.0	3023	20.9	5.12
Wilson/Luxe	179.8	193.2	123.2	2740	21.1	3.19
Callaway/Warbird Plus	177.7	192.2	123.3	3020	20.9	2.66
Slazenger/Raw Distance	174.2	192.1	120.9	2761	21.6	4.45
Top Flite/Gamer	178.0	192.4	123.8	3198	19.7	3.38
Pinnacle/FX Gold Long	177.0	193.4	123.4	2949	20.7	4.67
Nike/Crush	174.8	191.5	121.7	2922	20.8	4.86
Callaway/HX Pearl	178.5	191.3	123.4	3005	21.1	3.14
Wilson/Zip	171.7	191.6	121.9	2886	20.3	6.14
Maxfli/Revolution Womens	176.6	191.6	122.8	2908	20.9	2.98
Slazenger/RD Feel	173.0	192.5	121.3	3166	20.2	1.94
Maxfli/VT3	176.9	190.6	123.1	3136	20.8	2.34
Bridgestone/e7+ Piercing Flt	178.1	190.3	122.7	3183	20.5	1.49
Maxfli/VT2	175.9	190.6	123.0	3198	20.0	1.78
Slazenger/Women's Raw Dist	171.3	190.4	122.2	3310	19.8	3.14
Bridgestone/B330 S	177.7	189.8	122.8	3217	20.2	1.59
Maxfli/Tour	175.2	189.0	121.8	3241	20.3	1.31
Maxfli/Revolution EXT Soft	178.7	189.4	123.0	3262	20.8	1.76
Top Flite/XL Distance	174.1	190.9	123.0	3346	19.5	5.34



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
Maxfli/Revolution LC	176.2	189.8	121.8	3002	20.9	2.98
Top Flite/XL 5000 Long	172.1	189.1	122.8	3240	19.8	3.92
Nike/Power Distance High	179.3	191.7	123.4	2998	21.4	2.94
Srixon/Trispeed	174.8	190.4	122.8	3086	20.4	3.51
Slazenger/RD Titanium	173.3	189.6	121.6	2925	21.2	2.89
Nike/Power Distance Straight	173.5	190.8	121.7	2980	20.7	4.24
Maxfli/VT4	174.3	188.3	123.1	3223	20.2	2.56
Pinnacle/Platinum Distance	171.6	190.5	120.1	2857	20.4	3.97
Nike/Juice 2 Plus	172.5	189.9	122.7	3203	20.4	2.43
Maxfli/Revolution Solid XT	173.7	188.2	121.4	3182	20.7	2.34



# FlightScope Report

for Martin Stecher on Dezember 26, 2010

Summary of results for ball fitting : Distance - 100.0%; Accuracy - 0.0%; Short Game Control - 50.0%;

Ball Name	Carry Distance (m)	Total Distance (m)	Ball Speed (mph)	Spin (rpm)	Launch Angle (°)	Accuracy Dispersion
Pinnacle/Ribbon	172.5	189.1	121.8	2918	20.7	6.12
Bridgestone/e5+	175.6	187.4	121.1	2888	20.4	1.97
Callaway/HX Hot Bite	173.4	186.3	121.9	3317	20.2	2.98
Maxfli/Revolution Solid	173.9	187.5	122.5	3046	20.9	3.12
Bridgestone/e5+ High Flight	174.9	186.5	121.2	2865	20.7	1.79
Pinnacle/FX Soft	174.0	187.6	121.9	2951	21.0	5.41
Bridgestone/TreoSoft	177.1	187.9	122.6	2827	21.2	3.41
Nike/Ignite	171.8	187.6	122.0	3239	20.6	3.17
Top Flite/XL Straight	169.4	186.2	121.8	3452	19.3	4.14
Bridgestone/e6+ Straight Flt	173.4	184.5	121.1	3082	21.2	2.53
Bridgestone/e6+	171.8	184.0	120.9	3072	21.2	2.34
Bridgestone/e7+	172.2	183.4	121.3	3176	20.6	1.64
Top Flite/XL 5000 Soft	168.0	183.1	121.4	3056	19.7	3.46